

ICSE Computer Application Sample Papers

SECTION A (40 Marks)

Attempt all questions

Question 1

- (a) Name any four tokens of Java. [2 Mark]
- (b) Give the difference between actual parameter and formal parameter. [2 Mark]
- (c) What is an identifier? [2 Mark]
- (d) Write an expression in Java for $\cos x + 2^2 a b + .$ [2 Mark]
- (e) What is the result produced by $2 - 10 * 3 + 100 / 11$? Show the steps. [2 Mark]

Question 2

- (a) What is the difference between local variable and instance variable? [2 Mark]

b int x = 20, y = 10, z;

What is the value of z in

$z = ++x * (y --) - y$?

Show the steps. [2 Mark]

- (c) What is the purpose of default in a switch? [2 Mark]
- (d) Give the difference between linear search and binary search. [2 Mark]
- (e) What will be the output of the following code?

float x = 7.87;

System.out.println(Math.ceil(x);

System.out.println(Math.floor(x)); [2 Mark]

Question 3

- (a) State the difference between if-else if ladder and switch...case. [2 Mark]
- (b) Explain the concept of constructor overloading with an example. [2 Mark]
- (c) What will be the output of the following program segments?

(i) String s = "application";

int p = s.indexOf('a');

System.out.println(p);

System.out.println(p+s); [2 Mark]

(ii) String st = "PROGRAM";

System.out.println(st.indexOf(st.charAt(4))); [2 Mark]

(iii) int a = 0;

if(a > 0 && a < 20)

```
a++;
else a-- ;
System.out.println(a); [2 Mark]
(iv) int a= 5, b = 2,c;
if (a>b || a != b)
c = ++a--b;
System.out.print(c+ ""+a+ ""+b); [2 Mark]
(v) int i = 1;
while(i++<=1)
{
i++;
System.out.print(i + " ");
}
System.out.print(i); [2 Mark]
```

(d) Differentiate between isUpperCase(char) and toUpperCase(char).[2 Mark]

(e) What is the difference between a constructor function and a member function of a class? [2 Mark]

(f) What is the difference between a static member function and a member function which is not static?[2 Mark]

SECTION B (60 Marks)

Attempt any four questions from this Section.

Question 4

(a) Define a class taximeter having the following description:

Data members/instance variables

int taxino - to store taxi number

String name - to store passenger's name

int km - to store number of kilometres travelled

Member functions:

taximeter() -- constructor to initialize taxino to 0, name to "" and b to 0.

input() - to store taxino,name,km

calculate() - to calculate bill for a customer according to given conditions

kilometers travelled(km) Rate/km

≤ 1 km Rs 25

1 < km ≤ 6 Rs 10

6 < km ≤ 12 Rs 15

12 < km ≤ 18 Rs 20

>18 km Rs 25

display()- To display the details in the following format

Taxino Name Kilometres travelled Bill amount

Create an object in the main method and call all the above methods in it. **[15 Mark]**

Question 5

(a) Write a menu driven program to find the sum of the following series depending on the user choosing 1 or 2

1. $S = 1/4 + 1/8 + 1/12 + \dots$ upto n terms

2. $S = 1/1! - 2/2! + 3/3! - \dots$ upto n terms

where ! stands for factorial of the number and the factorial value of a number is the product of all integers from 1 to that number, e.g. $5! = 1 \times 2 \times 3 \times 4 \times 5$.

(use switch-case). **[15 Mark]**

Question 6

Write a program to accept a sentence and print only the first letter of each word of the sentence in capital letters separated by a full stop.

Example :

INPUT SENTENCE : "This is a cat"

OUTPUT : T.I.A.C. **[15 Mark]**

Question 7

Write a program to create an array to store 10 integers and print the largest integer and the smallest integer in that array. **[15 Mark]**

Question 8

Write a program to calculate the sum of all the prime numbers between the range of 1 and 100. **[15 Mark]**

Question 9

Write a program to store 10 names in an array. Arrange these in alphabetical order by sorting. Print the sorted list. Take single word names, all in capital letters, e.g. SAMSON, AJAY, LUCY, etc. **[15 Mark]**